

Attendance Control System Software Manual





Copyright © 2013 by Rosslare. All rights reserved.

This manual and the information contained herein are proprietary to ROSSLARE ENTERPRISES LIMITED and/or its related companies and/or subsidiaries' (hereafter: "ROSSLARE"). Only ROSSLARE and its customers have the right to use the information.

No part of this manual may be re-produced or transmitted in any form or by any means, electronic or mechanical, for any purpose, without the express written permission of ROSSLARE.

ROSSLARE owns patents and patent applications, trademarks, copyrights, or other intellectual property rights covering the subject matter in this manual.

TEXTS, IMAGES, AND ILLUSTRATIONS INCLUDING THEIR ARRANGEMENT IN THIS DOCUMENT ARE SUBJECT TO THE PROTECTION OF COPYRIGHT LAWS AND OTHER LEGAL RIGHTS WORLDWIDE. THEIR USE, REPRODUCTION, AND TRANSMITTAL TO THIRD PARTIES WITHOUT EXPRESS WRITTEN PERMISSION MAY RESULT IN LEGAL PROCEEDINGS.

The furnishing of this manual to any party does not give that party or any third party any license to these patents, trademarks, copyrights or other intellectual property rights, except as expressly provided in any written agreement of ROSSLARE.

ROSSLARE reserves the right to revise and change this document at any time, without being obliged to announce such revisions or changes beforehand or after the fact.

Table of Contents

1.	Introduction	8
1.1	About this Manual	8
2.	Installation	9
2.1	Requirements	9
2.1.1	.1 Hardware Requirements	9
2.1.2	2 Software Requirements	9
2.2	HASP Key	9
2.3	Installation Instructions	9
3.	Accessing the System	14
4.	The AxTime Interface	15
4.1	Menu Bar	15
4.2	Toolbar	15
4.3	Tree View	16
4.3.1	.1 Schedules	16
4.3.2	.2 Time Groups	16
4.3.3	.3 Holidays	16
4.3.4	.4 Department/Users	17
4.3.5	5 Reports	17
4.4	Main Window Pane	17
5.	Configuration	18
5.1	Workflow	18
5.2	Defining Schedules	18
5.2.1	1 Defining Schedule Properties	18
5.3	Defining Time Groups	21
5.4	Defining Users Time Group	22
5.4.1	1 Changing a User's Time Group	22
5.5	Producing a Time & Attendance Report	22
6.	Time & Attendance Reports	23

Table of Contents

6.1	Creating a Report	23
6.2	Viewing a Report	26
6.2.1	Report Toolbar	27

List of Figures

Figure 1: AxTime Main Window	. 15
Figure 2: Report Window	. 27

List of Tables

Table 1: Menu Bar	15
Table 2: Toolbar	16
Table 3: Report Toolbar	27

Notice and Disclaimer

This manual's sole purpose is to assist installers and/or users in the safe and efficient installation and usage of the system and/or product, and/or software described herein.

BEFORE ATTEMPTING TO INSTALL AND/OR USE THE SYSTEM, THE INSTALLER AND THE USER MUST READ THIS MANUAL AND BECOME FAMILIAR WITH ALL SAFETY REQUIREMENTS AND OPERATING PROCEDURES.

- The system must not be used for purposes other than those for which it was designed.
- The use of the software associated with the system and/or product, if applicable, is subject to the terms of the license provided as part of the purchase documents.
- ROSSLARE exclusive warranty and liability is limited to the warranty and liability statement provided in an appendix at the end of this document.
- This manual describes the maximum configuration of the system with the maximum number of functions, including future options. Therefore, not all functions described in this manual may be available in the specific system and/or product configuration you purchased.
- Incorrect operation or installation, or failure of the user to effectively maintain the system, relieves the manufacturer (and seller) from all or any responsibility for consequent noncompliance, damage, or injury.
- The text, images and graphics contained in the manual are for the purpose of illustration and reference only.
- All data contained herein subject to change without prior notice.
- In no event shall manufacturer be liable for any special, direct, indirect, incidental, consequential, exemplary or punitive damages (including, without limitation, any and all damages from business interruption, loss of profits or revenue, cost of capital or loss of use of any property or capital or injury).
- All graphics in this manual are for reference only, some deviation between the image(s) and the actual product may occur.
- All wiring diagrams are intended for reference only, the photograph or graphic of the PCB(s) are intended for clearer illustration and understanding of the product and may differ from the actual PCB(s).

1. Introduction

The AxTime[™] software user-friendly and intuitive graphic interface generates Time & Attendance reports using events uploaded via the AxTraxNG[™] database from the following Access Control Units (ACUs):

- AC-215/215IP
- AC-225/225IP
- AC-425/425IP
- AC-525

The AxTime PC client software can be installed on any PC on the same network as the AxTraxNG server and the operator can log in via the AxTraxNG server operator's permission rights. Operators must first be defined in the AxTraxNG client.

1.1 About this Manual

The AxTime manual is intended for anybody installing and or commissioning the AxTime Time & Attendance control system that interacts with the following ACUs:

- AC-215/215IP
- AC-225/225IP
- AC-425
- AC-525

This manual is a short guide on how to use and work with the AxTime software.

2. Installation

2.1 Requirements

2.1.1 Hardware Requirements

- Processor Pentium 4 or higher
- Memory Minimum 256 MB (512 MB recommended)
- Recommended Network or local printer for printing function

2.1.2 Software Requirements

- Win 7 32/64 bits and Win 8
- Windows XP SP2
- Windows XP Professional SP2
- Windows XP Home Edition SP2
- Windows Vista Enterprise 2006
- Windows Server 2003 SP1
- Microsoft.net 2.0 (or higher) Framework

2.2 HASP Key

AxTime is an AxTraxNG Time & Attendance client that requires a licensed HASP key from Rosslare.

You can see view your HASP key license information by opening the *About* screen in the AxTraxNG software GUI.

Software: Firmware: Bootloader:	0.23.0 ac215v04_05_xx ac225v04_05_xx ac525v04_05_xx ac25v04_05_xx ac215IPv04_05_xx btl_ac225v01_02 btl_ac225v_02_01 btl_ac225iPv3_00 btl_ac225iV 00	HASP Order Number: HASP key index: AkTime: Maximum number of AC panels: Maximum number of Hik Vision DVR Servers: Maximum number of Hik Vision Cameras:	0000 Av.TraxNG - 0000 - 0065 - 07 - 12 - 255 Enable 65 12 255
SQL-Server Data base: Current operator:	13 Administrator		
Copyright@ 2013 - Rosslare aming: This computer program is pr Unauthorized reproduction extent possible under law.	otected by copyright law and	international treaties.	venaities, and will be prosecuted to the maximum

For more information about HASP licensing, please refer to the *AxTraxNG™* Software Installation and User Manual or contact Rosslare.


2.3 Installation Instructions

This section describes how to install the AxTime software.

Installation

To install AxTime:


- 1. Insert the AxTime CD into your computer's CD drive.
- From the CD provided, double-click the AxTimeClient setup file. The *Preparing to Install* screen opens.



Note

A first time installation may result in a pop-up asking if you want to install 'Microsoft .Net Framework' if Microsoft .Net Framework is not installed on the PC. You must install this application for AxTime to run.

The *Preparing to Install* screen runs until the Welcome window is displayed.



3. Click Next.

The License Agreement screen opens.

t	AxTime Client - InstallShield Wizard	×
	License Agreement Please read the following license agreement carefully.	
	Software of any kind provided with or as part of the product is provided explicitly "as is", within an explicit denial of all warranties, expressed or implied (including, without limitation, warranties of merchantability, non-infringement, or fitness for a particular purpose), but nevertheless, Rosslare guarantees that the software to be free from defects for a period of ninety (90) days after delivery. If any defect appears within the warranty period, you can contact Rosslare to receive replacement software free of charge at the discretion of Rosslare. Rosslare does not warrant and has no responsibility for the accuracy or completeness of any information, text, graphics, links, or other items contained within the software.	
	I accept the terms in the license agreement I do not accept the terms in the license agreement	ן
Ir	nstaliShield < Back Next > Cancel	

4. Accept the agreement terms and click **Next**.

The Destination Folder screen opens.

🛃 AxTime Client - InstallShield Wizard	×
Destination Folder Click Next to install to this folder, or click Change	to install to a different folder.
Install AxTime Client to: C:\Program Files\Rosslare\AxTime Clie	nt\ Change
InstallShield — < E	3ack Next > Cancel

5. Select the required installation location by clicking **Change** or click **Next** to use the default destination.

Installation


🖟 AxTime Client - InstallShield Wizard
Ready to Install the Program The wizard is ready to begin installation.
Click Install to begin the installation. If you want to review or change any of your installation settings, click Back. Click Cancel to exit the wizard.
InstallShield

6. Click Install.

The Installing AxTime Client screen opens and the installation begins.

🖟 AxTime Client - InstallShield Wizard			
-	AxTime Client ram features you selected are being installed.		
17	Please wait while the InstallShield Wizard installs AxTime Client. This may take several minutes.		
	Validating install		
InstallShield –			
	< Back Next > Cancel		

When the installation is complete, the *InstallShield Wizard Completed* screen opens.



7. Click **Finish** to complete installing the AxTime Client software.

3. Accessing the System

The AxTime system is case sensitive. The default operator is administrator.

To access the AxTime System

1. On the desktop, double click the AxTime icon to open the login dialog box.

Logon AxTime Client ¥ 0.22.2
Please check name and enter password
Operator name
Administrator 🗸 🗸
Password
OK Cancel


- 2. In the Operator Name, select administrator and in the Password field, enter "admin".
- 3. Click **OK**.

The main AxTime window opens.

4. The AxTime Interface

Figure 1 presents the AxTime main window.





The AxTime interface has the following panes:

- Menu Bar
- Toolbar
- Tree View
- Main Window

4.1 Menu Bar

The available menu options are shown in Table 1.

Table 1: Menu Bar

Menu	Submenu	Description
F :1.	Server Connection	Defines the AxTraxNG server IP address
File	Exit	Click to exit the application
Help	About	Click to read information about the AxTime version

4.2 Toolbar

The toolbar controls key tasks required to manage the application. When a new element is selected from the Tree View, the toolbar icons change to suit the selected element.

The available toolbar icons are shown in Table 2.

lcon	Description	Click icon to
+	Add	Add a new element of the selected type
~ =	Edit/Properties	Edit the selected element
×	Delete	Delete the selected item
	Produce	Click to produce a Time & Attendance report.

Table 2: Toolbar

4.3 Tree View

The Tree View allows users to configure the application settings.

When the user selects an element from the Tree View, its contents are shown in the main display area.

4.3.1 Schedules

The Schedules element is used to create 'work template' groups that define work shifts.

There are two kinds of work templates:

- Working day With three card reader options:
 - Once A Day
 - Twice A Day
 - All movements
- Non-working day

Two default schedules are automatically created:

- Default working: Working day template
- Default non-working: Non-working day template

4.3.2 Time Groups

The Time Groups module associates the Schedules and Access control readers. For each Time group you define a weekly schedule and select the relevant readers.

A default weekly schedule is automatically created defining Sunday, Saturday and Holidays as non-working day.

4.3.3 Holidays

Holidays cannot be added or changed with the AxTime software. This data is taken from the AxTraxNG database during the 'Refresh database' action. It is used to set the time groups performance on days that are defined as holidays.

The AxTime Interface

4.3.4 Department/Users

Each user must be a member of a department and attached to a time group. Users cannot be added with the AxTime software. This data is taken from the AxTraxNG database during the 'Refresh database' action.

Within the user properties screen you can only change the time group field.

4.3.5 Reports

The Reports option allows you to produce and print or export a Time & Attendance report.

4.4 Main Window Pane

The main window pane changes depending on the option selected. Here, all actions are performed and viewed.

5. Configuration

5.1 Workflow

The following four-step workflow is suggested for configuring the application:

- 1. Defining Schedules
- 2. Defining Time Groups
- 3. Defining Users Time Group
- 4. Producing a Time & Attendance Report

5.2 Defining Schedules

This option characterizes work templates by defining shift parameters.

The application comes with two default schedules are integrated in the software – Default working schedule and Default non-working schedule. These default schedules can be edited but cannot be deleted.

5.2.1 Defining Schedule Properties

To define Schedule properties:

- 1. In the Tree View, select the **Schedules** element.
- 2. On the toolbar, click the 井 icon.

The Schedule Properties window opens.

Schedule Properties		
Schedule Description	Shift Type WorkingDay	~
Read Card	Paid Time	
 All movements 	Vorking Hours	01:00 😂 hr 📃
 Twice a day (first entry, last exit) 	Overtime	01:00 🔷 hr
🔘 Once a day	Extra Time	01:00 🔷 hr
Overnight shift (from 12:00 PM to 11:59 AM)	Breaks Break 1 Break 2	00:00 💠 hr 📄 00:00 💠 hr
	ОК	Cancel

3. In Schedule description, enter a description for the new schedule.

Configuration

- 4. In **Shift type**, select the type of work template:
 - Working day
 - Non-working day
- 5. Define the templates as described in Sections 5.2.1.1 and 5.2.1.2.
- 6. Click **OK**.
- 5.2.1.1 Working Day Template

Define the Working Day template using the following options:

Read Card Section

This defines how many times the user needs to pass his card during the day. Select between "All movements" (default), "Twice a day (first entry, last exit)" or "Once a day".

Paid Time Section

This defines regular and overtime working hours. If Overtime is selected, the extra time option is enabled allowing you to define an additional work hour option.

Clicking the \Box (more) button allows defining additional parameters. The additional parameter window consists of three tabs:

Working Hours

ettings	×
Working Hours Start Time End T	ime
Start Time	hh:mm 00:01 📚
End Time	23:59 📚
Hours Value	0 🗢 %
ОК	Cancel

Here, you can define the Start and End time to define a minimum amount of working hours required and the hour's value in percent.

Start Time

Settings Working Hours Start Time End Time	
Add auto in Minimum start time (no pay when arriving before this time) Maximum start time (arriving	hh:mm 00:00 \$
Aaximum start time (arriving after this time is considered late)	Cancel

With this tab, you can select to activate and define an automatic in time. 'Add Auto in' and 'Minimum Start Time' users arriving before the defined time receive pay for that period of time, while 'Maximum Start Time' defines the latest time a user can come to work without being considered late.

End Time

Settings	×
Working Hours Start Time End Time	
Add auto out Minimum end time (leaving before this time is considered	
ОК	ancel

Here, you can select to activate and define an automatic out time 'Add Auto out'. The 'Minimum End Time' field defines the earliest time a user can leave work without being considered as leaving early.

Breaks Section

This section is enabled if 'All movements' or 'Twice a day' is chosen in the

'Read card' frame. It allows you to define one or two breaks. Click the (more) button to define additional parameters. The additional parameter window consists of three options, 'Minimum start time', 'Maximum end time' in hours and 'If worked, pay by' in percent.

Overnight Shift Checkbox

You can select this checkbox to define an overnight shift. In this case, when computing Time & Attendance reports, the working day begins at 12:00:00 PM to 11:59:59 AM instead of 12:00:00 AM to 11:59:59 PM.



When setting the night shift, which is up to and including 12:00 AM, the shift is included in the previous day's work hours. As a result, the report generated displays the exit time as the previous day's EXIT. Hours clocked after 12:00 PM are part of the current working day's hours.

5.2.1.2 Non-working Day Template

Define the Non-working Day template using the following options:

😵 Schedule Properties		
Schedule Description Schedule 4	Shift Type NonWorkingDay	~
If not worked	If worked, pay by	
Automatic pay 00.00 🗘 hr	Schedule Default working	~
	ОК	Cancel

'If not worked' Section

This defines automatic pay during hours for non-working days when users did not do any work.

'If worked, pay by' Section

This determines the schedule template for users who worked in days defined as non-working days.

5.3 Defining Time Groups

The Time Group is a combination of readers and schedules. Each user must belong to a time group that has a specific work schedule.

To define a time group:

1. On the toolbar, click the 井 icon.

The *Time Group Properties* window, which consists of three tabs, opens.

Sc	hec	lule ReaderIn	Reader Out Schedule Template
	•	Sunday	Default working
	-	Monday	Default working
		Tuesday	Default working
		Wednesday	Default working
		Thursday	Default working
		Friday	Default working
		Saturday	Default non-working
		Holiday	Default non-working

Configuration

- 2. In Description, enter a description for the new Time Group.
- 3. In the Schedules tab, use the dropdown in the Schedule column for each day and holiday to set the schedule template.
- 4. In the Reader In tab, select the readers to be considered as 'In' action.
- 5. In the Reader Out tab, select the readers to be considered as 'Out' action.

5.4 Defining Users Time Group

Creating new users or modifying existing users can only be done from the AxTraxNG software directly.

Modifying a user's details within the AxTime software is limited to Time Group association.

5.4.1 Changing a User's Time Group

To change a user's time group:

- 1. In the Tree View, expand the **Department/Users** element.
- 2. Select an available department.

The complete list of users belonging to the department chosen opens in the main window pane.

3. Double click on any user to open the User Properties window for that user.

∛ User 1 Properties	
User description	
doe, john	
Timeseve	
Default Timegroup	×
OK Can	icel

- 4. In the **Time group** dropdown, select an available time group.
- 5. Click **OK**.

5.5 Producing a Time & Attendance Report

The Reports option allows you to plan your data/events and then create Time & Attendance reports.

The reports are built according to the entire system definitions including: Schedules, Time Groups, and Holidays.

See Chapter 6 for details on how to generate a report.

6. Time & Attendance Reports

The Reports option allows you to produce a Time & Attendance report. The report integrates all data to produce a report that includes schedules, time groups, users, operators, and holidays. The report is extremely flexible and allows you to plan your data/events in any way wish and according this to make calculations for the generated report.

6.1 Creating a Report

Use the report wizard to create a time and attendance report.

To create a report:

- 1. In the Tree View, expand the **Reports** element and select **Time & Attendance**.
- 2. On the toolbar, click the 井 icon.
- 3. The Time & Attendance Report wizard opens.

😵 Time & Attendance Rep	ort (1 of 5)		
		vill guide you through the Idance report for each u	
	 Dates In the last In the last Between 	7 🔹 days 1 💠 months 2/ 7/2013 💌 and	2/ 7/2013
Cancel	<u> </u>	Next >	Einish

 Select the dates for which you want the report and click Next. The next screen opens.

Time & Attendance Report (2 of 5)	port?		
Departments/Users ## General ## test ## Visitors doe john doe jane	Add > Add all >>	Selected users	
Cancel < Back	Remove < Remove all <<	ext >	

5. In the left pane, select the users for whom you wish to generate a report and click **Add**.

You can also use **Add All** to add all the users at once.

6. Click Next.

It may take several minutes to compute the data you requested. At this stage, the system processes all the events and builds a table as you can see in the next screen.

Date	Day	Schedule	Operator	Comments
31-01-2013	Thursday	Default working	Administrator	
01-02-2013	Friday	Default working	Administrator	
02-02-2013	Saturday	Default non-working	Administrator	
03-02-2013	Sunday	Default working	Administrator	
04-02-2013	Monday	Default working	Administrator	
05-02-2013	Tuesday	Default working	Administrator	
06-02-2013	Wednesday	Default working	Administrator	
07-02-2013	Thursday	Default working	Administrator	

Time & Attendance Reports

The table shows how the user should work according to his time group and allows you to match the data to your own needs

- 7. At the top dropdown, choose the user you wish to view.
- 8. You can update the fields as follows:
 - a. Change the Schedule field by selecting a different value from the dropdown.
 - b. Change the Operator and Comments fields by entering text as needed.
- 9. Click Save.
- 10. From the dropdown, select additional users and repeat Steps 8 and 9.
- 11. When all data is correct, click **Next**.

The next screen opens.

Dat		Day	Sche			Paid Time	Comments	^
	1-2013	Thursday		t working		00:00	Absence day	_
	2-2013	Friday		t working		00:00	Absence day	
02-03	2-2013	Saturday	Defaul	t non-work	ing	00:00	Non-working day	
03-03	2-2013	Sunday	Defaul	t working		00:00	Absence day	
04-0	2-2013	Monday	Defaul	t working		00:00	Absence day	~
		31/01/20:						
In	Out			% Late		Comments		
00:00	0:00	0 00:00	0	00:00	00:00	Absence day		

The top table is the same table as in the previous screen but the details cannot be changed. The table only shows the total user payment for each day.

- 12. Select a row in the top table to view that day's movements in the bottom table.
- 13. Click in any cell to edit its contents.
- 14. Click **Save** to save any changes made.

From the dropdown, select additional users and repeat Steps 12 through 14.

15. When all data is correct, click **Next**.

The next screen opens.

😵 Time & Attendance Repo	rt (5 of 5)		
	View Option		
	Details	~	
	Report Description		
	Time & Attendance Report 3		
20 20 and a set of set of the			
\'//			
Cancel	< Back	Next >	Finish

- 16. From the **View option** dropdown, choose the view format for the report.
- 17. In **Report Description**, enter a name for the report.

18. Click Finish.

The new report appears in the main window of the GUI and is now ready to be viewed.

6.2 Viewing a Report

Once you have created a report using the wizard, you can view it.



When printing a report, be sure that the default printer is a standard printer and not a special printer for printing cards; otherwise, the reports may not print correctly.

To view a report:

- 1. In the main window, choose the report you wish to view.
- 2. On the toolbar, click the 增 icon.

The report window opens. An example of a Daily report is shown in Figure 2.

Figure 2: Report Window

н ч 🕨 н 🖓 🖂 М) #8 •					
Main Report						
				test		
			Dates 9-J	an-13	- 16-Jan-13	
	john	doe				
	Date	Day	Payment	Late	Leaving	Comments
	01/09/2013	Wednesday	0:00	0:00	0.00	Absence day
	01/10/2013	Thursday	0:00	0:00	0.00	Absence day
	01/11/2013	Friday	0:00	0:00	0.00	Absence day
	01/12/2013	Saturday	0:00	0:00	0.00	Non-working day
	01/13/2013	Sunday	0:00	0:00	0.00	Absence day
	01/14/2013	Monday	0:00	0:00	0.00	Absence day
	01/15/2013	Tuesday	0:00	0:00	0.00	Absence day
	01/16/2013	Wednesday	0:00	0:00	0.00	Absence day
	Total period					
	0 Works	ng days		00.00	Regular hours	
	0 Late as			00:00	Over time hours Extra time hours	
	0 Early1 0 Leave			00.00	Extra time hours Daily average	
	7 Abser				nan) armaga	

The report window is divided into two panes. On the left, the Group Tree pane shows the entire report group and on the right the Main Report pane shows the report.

You can then view, print, or export the report shown using the icons in the Report toolbar

6.2.1 Report Toolbar

Table 3 presents the various icons available to manage the main report.

lcon	Description					
H	Go to First page – Jumps to the first page of the report					
	Go to Previous page – Goes to the previous page of the report					
•	Go to Next Page – Goes to the next page of the report					
M	Go to Last Page – Jumps to the last page of the report					
S	Go to page – Jumps to a specific page in the report					
×	Close Current View – Closes the current report view					
3	Print Report – Prints the current report					
3	Refresh – refreshes the report view from the database					
din a	Export Report – Exports the report to a file, select a file type between Adobe Acrobat, Microsoft Excel, Microsoft Word and Rich Text Forma					
	Toggle Group Tree – Toggles the group tree between visible and hidden					
f † -	Zoom – Select a zoom view for the report					
m	Find Next – allows you to search for specific text within the report					

Table 3: Report Toolbar



Asia Pacific, Middle East, Africa

Rosslare Enterprises Ltd. Kowloon Bay, Hong Kong Tel: +852 2795-5630 Fax: +852 2795-1508 support.apac@rosslaresecurity.com

United States and Canada

Rosslare Security Products, Inc. Southlake, TX, USA Toll Free: +1-866-632-1101 Local: +1-817-305-0006 Fax: +1-817-305-0069 support.na@rosslaresecurity.com

Europe

Rosslare Israel Ltd. Rosh HaAyin, Israel Tel: +972 3 938-6838 Fax: +972 3 938-6830 support.eu@rosslaresecurity.com

Latin America

Rosslare Latin America Buenos Aires, Argentina Tel: +54-11-4001-3104 support.la@rosslaresecurity.com

China

Rosslare Electronics (Shenzhen) Ltd. Shenzhen, China Tel: +86 755 8610 6842 Fax: +86 755 8610 6101 support.cn@rosslaresecurity.com

India

Rosslare Electronics India Pvt Ltd. Tel/Fax: +91 20 40147830 Mobile: +91 9975768824 sales.in@rosslaresecurity.com









